Addendum No. 1 Issued: 5/15/2023 Page 1 of 1

City of Snoqualmie

2023 Urban Forestry Improvements

ADDENDUM NO. 1 Issued: May 15, 2023

You are hereby notified of the following changes, deletions, additions, corrections, and clarifications to the Plans, Specifications and other documents comprising the Contract Documents for the City of Snoqualmie's 2023 Urban Forestry Improvements project.

2023 URBAN FORESTRY IMPROVEMENTS CONSTRUCTION DRAWINGS

C2.0 - SITE PLAN

(a) Revised Site Plan Construction Note 13.

REVISED TO READ:

APPROXIMATE LOCATION OF IRRIGATION SYSTEM. REMOVE AND REINSTALL AS NECESSARY. COORDINATE WORK WITH THE CITY OF SNOQUALMIE.

Attachments:

- 1. Site Walkthrough Sign-In Sheet dated May 11, 2023.
- 2. Revised Plan Sheet, C2.0 SITE PLAN.

End revisions for Addendum No. 2

Addendum No. 1 is hereby made a part of the Contract Documents, and its terms and conditions are fully binding on the Contract Documents holder. He/she shall acknowledge receipt of Addendum No. 1 by signing in the space provided below and attaching it to his/her proposal. In addition, Contract Documents holder shall fill out 1.02 Acknowledgment of Addenda on page 00 03 00 – 1 in the Form of Bid.


CITY OF SNOQUALMIE

Andrew Vining, Project Engineer

Issued May 15, 2023

Pre-Bid Walk Thru Sign-in Sheet 2023 Urban Forestry Improvements 1:00 PM May 11, 2023

Name	Title	Company	Phone	E-mail
Andrew Vining	Project Engineer	City of Snoqualmie (COS)	425-395-0051	avining@snoqualmiewa.gov
Phil Bennett	SW & Urban Forestry Superintendent	(COS)	425-766-2452	pbennett@snoqualmiewa.gov
Jereny Welcome	Partner	RRJ	425864227	RRJ Welcome @ gmass. com
Maurice Stoppe	Edinates	Hirklan Low Gro	425 242 5198	62-fination & HILLIA lang con com
Gens Largshold	project ngr	Langshalt Cont	425-231 7231	lary sholt a hotmail. com
JASON SHROPE	Eugineer	DOWL		jshrope Pdowl.com





PLANTER STRIP EXCAVATION SECTION TYPE A

PLANTER STRIP EXCAVATION SECTION TYPE B

PLANTER STRIP EXCAVATION SECTION TYPE C

PLANTER STRIP - SOD ONLY

10' CLEARANCE RADIUS

CONSTRUCTION NOTES

1 PLANTER STRIP EXCAVATION SECTON TYPE A, SEE SHEET C3.0 FOR DETAIL

2 PLANTER STRIP EXCAVATION SECTION TYPE B, SEE SHEET C3.0 FOR DETAIL

3 PLANTER STRIP EXCAVATION SECTION TYPE C, SEE SHEET C3.0 FOR DETAIL

4 PLANTER STRIP SECTION - REPLACE 6" DEPTH SOD LAYER ONLY

5 INSTALL 4" PERFORATED PVC PIPE, MAINTAIN SLOPE TO DRAIN

6 INSTALL 4" PVC PIPE AND CONNECT TO EXISTING CATCH BASIN WITH SAND COLLAR AND NON-SHRINKING GROUT

T LOCATE, PRESERVE, AND PROTECT EXISTING UTILITY LINE

8 PRESERVE AND PROTECT EXISTING AIR-VAC RELEASE VALVE

9 PRESERVE AND PROTECT EXISTING MAILBOX CLUSTER

10 PRESERVE AND PROTECT LUMINAIRE

REPLACE EXISTING STREET SIGN WITH CITY STANDARD POST PER DETAIL ON SHEET C3.0. SALVAGE SIGNS TO CITY AND COORDINATE INSTALLATION.

INSTALL TYPE 1 CATCH BASIN DRYWELL AND CONNECT 4" PVC PIPE WITH SAND COLLAR AND NON-SHRINKING GROUT. SEE DETAIL ON SHEET C3.0.

APPROXIMATE LOCATION OF IRRIGATION SYSTEM. REMOVE AND REINSTALL AS NECESSARY. COORDINATE WORK WITH THE CITY OF SNOQUALMIE.

SITE PLAN NOTES

- 1. THE CONTRACTOR SHALL VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF ALL UTILITIES PRIOR TO CONSTRUCTION. CONTRACTOR SHALL EXERCISE DUE CAUTION DURING CONSTRUCTION. CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY OF ANY DISCREPANCIES AFFECTING THE LOCATION OR CONSTRUCTION OF THE PROPOSED IMPROVEMENTS.
- 2. ALL MATERIALS AND WORKMANSHIP SHALL COMPLY WITH THE LATEST EDITIONS OF THE WSDOT STANDARDS AND SPECIFICATIONS.
- 3. PRIOR TO PROJECT INITIATION, THE CITY OF SNOQUALMIE WILL REMOVE ALL TREES WITHIN THE PROJECT WORK AREAS. THE CONTRACTOR SHALL REMOVE TREE STUMPS AND TREE ROOTS WITHIN THE LIMITS OF THE PLANTER STRIP EXCAVATION. THE CONTRACTOR SHALL TAKE PRECAUTIONS WHEN REMOVING TREE ROOTS LOCATED NEAR EXISTING UTILITIES SO THAT THE EXISTING UTILITIES ARE NOT IMPACTED OR DAMAGED.
- 4. THE CONTRACTOR SHALL REMOVE AND REPLACE IRRIGATION SYSTEMS IMPACTED BY THE PROJECT. THE CONTRACTOR SHALL COORDINATE THIS WORK WITH THE CITY OF SNOQUALMIE PRIOR TO DIGGING.
- 5. THE CONTRACTOR SHALL INSTALL 12 LF OF ROOT BARRIER ON THE CURB SIDE OF THE TRENCH EXCAVATION AT EACH LOCATION IDENTIFIED BY CITY OF SNOQUALMIE STAFF. SEE TRENCH EXCAVATION DETAIL ON SHEET C3.0 FOR PLACEMENT OF ROOT BARRIER.
- 6. HYDROSEED SHALL BE APPLIED TO NEW TOPSOIL AND ANY OTHER DISTURBED AREAS. THE HYDROSEED MIX SHALL BE PER THE SPECIFICATIONS OR PER THE DIRECTION OF CITY OF SNOQUALMIE.
- 7. THE IMPLEMENTATION OF EROSION AND SEDIMENT CONTROL FACILITIES IS THE RESPONSIBILITY OF THE CONTRACTOR UNTIL ALL CONSTRUCTION IS COMPLETED AND APPROVED.
- 8. DURING THE CONSTRUCTION PERIOD, EROSION AND SEDIMENT CONTROL FACILITIES SHALL BE IMPLEMENTED AS NEEDED TO ENSURE THAT SEDIMENT—LADEN WATER DOES NOT ENTER THE DRAINAGE SYSTEM, ROADWAYS, OR VIOLATE APPLICABLE WATER STANDARDS. INLET PROTECTION SHALL BE INSTALLED ON ALL INLETS ADJACENT AND DIRECTLY DOWNSTREAM OF WORK AREAS.
- 9. THE CONTRACTOR SHALL COVER ALL STOCKPILES WHEN NOT WORKING. STREET CLEANING SHALL BE PROVIDED AS NECESSARY TO ENSURE THAT SEDIMENT—LADEN WATER DOES NOT ENTER THE DRAINAGE SYSTEM.

EV DATE DESCRIPTION B

\$\frac{1}{2}\frac{2}{2}\$ ADDENDUM #1

| \frac{1}{2}\frac{2}{2} \frac{1}{2}\frac{1}{2} \frac{1}{2} \frac





SITE

AUTUMN AVENUE

ROJECT 13946.02 ATE 5/26/202

> © DOWL 2019 SHEET

> > C2.0